

envoCOPY

Introducing the world's most eco-friendly and commercially viable paper. Conventional paper is made from virgin wood fibres that can only be obtained by deforestation while envoCOPY is made using agrowaste fibres that will otherwise end up as waste. envoCOPY fights deforestation, reduces air pollution and guarantees great printability each time. Every 8 reams of envoCOPY produced saves one tree from being chopped down.

Technical Specification

S.No.	Quality Parameter	Unit	envoCOPY			
1	Substance	gsm	70	75	80	90
2	Tolerance	%	± 2.5%	± 2.5%	± 2.5%	± 2.5%
3	Brightness(ISO)	%	90 min.	90 min.	90 min.	90 min.
4	Opacity	%	93 ± 1	94 ± 1	95 ± 1	96 ± 1
5	Bulk	cc/g	1.45 ± 0.02	1.40 ± 0.02	1.34 ± 0.02	1.25 ± 0.02
6	Breaking Length -MD	meter	4000 ± 200	4000 ± 200	4000 ± 200	4000 ± 200
7	Breaking Length -CD	meter	2500 ± 200	2500 ± 200	2500 ± 200	2500 ± 200
8	Tear Factor-MD	—	40 min.	40 min.	40 min.	40 min.
9	Tear Factor-CD	—	50 min.	50 min.	50 min.	50 min.
10	Burst Factor	—	18 min.	18 min.	18 min.	18 min.
11	Smoothness (Bendtsen)-TS	ml/min	320 max.	320 max.	320 max.	280 max.
12	Smoothness (Bendtsen)-WS	ml/min	200 max.	200 max.	200 max.	180 max.
13	Cobb value (60 Second)-TS	gsm	25 max.	25 max.	25 max.	25 max.
14	Cobb value (60 Second)-WS	gsm	25 max.	25 max.	25 max.	25 max.
15	Porosity	ml/min	300 ± 20	300 ± 20	300 ± 20	280 ± 20

Applications

envoCOPY does everything you expect A4 paper to do. It is guaranteed for use on all office equipment with maximum age resistance for archiving.

Marketing collateral, photobooks, corporate reports, writing paper, documents, print material, inserts, invoices. Print on it, write on it, make a party hat if you're feeling creative. When you're done, please put it in a compost pit or in your recycling bin so it can be used to make more paper and maintain the Earth's green cover.

